Author Index—Vol. VIII, 1958

A

Agar, C. When Can We Log by Air? 9: 17–A

Arseneau, D. F. *See* Risi, J.

B

Barefoot, A. C. *See* Bethel, J. S.

Barton, G. M. *See* Gardner, J. A. F.

Batdorf, R. O. *See* Pauley, W. N.

Beach, J. J. Jr., Fork Lift Truck for Handling Forest Products. 7: 19–A

Bethel, J. S. and Barefoot, A. C. Can Lumber Compete? 7: 9–A

Blomquist, R. F. Developments in Glues and Gluing. (Ann. Rev.) 2: 45

Bock, L. H. *See* Herrick, F. W.

Boggs, L. A. *See* Luner, P.

Bonderson, P. R. Water Pollution Control in California in Forest Industry Development. 3: 17–A

Bornstein, L. F. Chemical Foam Extension of Urea Formaldehyde Glues. 10: 51–A

Boyd, J. S. and Esmay, M. L. Practical, Low-Cost Roof Framing for Light Buildings. 12: 16–A

Bramhall, G. and Connors, W. M. Factors Affecting the Amount of Naphthalene in Condensate During Boiling Under Vacuum in Creosote. 7: 211

Burger, J. H. Comparison of Methods of Evaluating Exterior Natural Finishes. 10: 282

Burpee, C. M. How to Build Better Frame Homes. 3: 21–A

C

Calvert, W. W. High-Temperature Kiln-Drying of Lumber—A Summary of Canadian Progress. 7: 200

Campbell, O. F. Jr. Rapid Delamination Test for Plywood. 4: 118

Carlson, B. L. Veneer and Lumber Void Filler. 5: 32–A

Carter, R. M. *See* Page, R. H.

Chateaneuf, R. Statistical Quality Control Pays in Woodwork. 5: 19–A

Chrismer, R. F., and Hart, C. A. Prediction Equation for Veneer Drying Schedules. 4: 137

Clark, W. P. Effect of Tension Wood on Seasoning and Machining of Eastern Cottonwood. 3: 109

Clark, W. P. and Headlee, T. M. Roof Your Lumber and Increase Your Profits. 12: 19–A

Clarke, J. T. *See* Nearn, W. T.

Colbeck, H. G. M. and Northcott, P. L. Some Factors Influencing the Design of Douglas-fir Plywood Panels. 8: 226

Connors, W. M. *See* Bramhall, G.

Conway, E. M. Factors That Affect Cost of Hardwood Kiln Drying. 1: 21–A

Corder, S. E. Suspension Drying of Sawdust. 1: 5

Coté, W. A. Electron Microscope Studies of Pit Membrane Structure in Wood. 10: 296

Cottrell, E. D. Specialized Plywood Pressing Equipment. 1: 13–A

Currier, R. A. High Drying Temperatures —Do They Harm Douglas-fir Veneers. 4: 128

D

Davidson, R. W. Impact Force-Deflection Diagrams for the FPL Toughness Test. 1: 10

Davidson, R. W. Effect of Temperature on Electrical Resistance of Wood at Several Moisture Contents. 5: 160

Dickinson, F. E. and Nearn, W. T. Survey of Veneer and Plywood Research Facilities in the United States. (Ann. Rev.) 2: 51

Dubey, G. A. *See* Luner, P.

Duff, K. Carbide Wood Cutting Tools. 5: 33–A

Duhnkrack, A. R. *See* Worley, D. P.

E

Eades, H. W. Differentiation of Sapwood and Heartwood in Western Hemlock by Color Tests. 3: 104

Eason, W. J. Technological Advances in Veneer and Plywood Materials, Machines, and Methods. 4: 19–A

Elliott, G. K. Spiral Grain in Second-Growth Douglas-fir and Western Hemlock. 7: 205

Elmendorf, A. and Vaughan, T. W. Survey of Methods of Measuring Smoothness of Wood. 10: 275

Ericks, W. P. Method for Dimensional Stabilization of Wood and Wood Veneer. 7: 197

Esmay, M. L. *See* Boyd, J. S.

Estep, M. H. Survey of Adhesives for Edge and End Gluing. 10: 55–A

Estrada, N. Exposure Characteristics of Clear Finishes for Exterior Wood Surfaces. 2: 66

F

Ferris, C. Helicopters for Forest Resource Managers. 9: 12-A

Fiehl, A. O. Reducing Heat Distortion in Knife and Pressure Bar Assemblies of Veneer Lathes. 7: 216

Field, P. Residues from the Sawmill . . . Smoke or Profit? 11: 27–A

Fowler, J. C. Packaging Lumber Saves Time and Money. 10: 80–A

French, G. E. The Challenge Before the Lumber and Plywood Industries. 4: 25–A

Fujii, J. S. Effect of Overlay Material on Flexural Properties of Commercial Particle Board. 8: 219

G

Gardner, J. A. F. and Barton, G. M. Extraneous Components of Western Red Cedar. 6: 189

Gardner, J. A. F. *See* MacLean, H.

Gooch, R. M. *See* Olson, G. E.

Green, H. F. Delayed-Memory Programming. 5: 30–A

Group Discussion, Industry-Education Business Meeting. How Can We Get More and Better Students to Study Forest Products Technology? 1: 27–A

H

Haigh, P. D. Equipment and Costs for Profitable Charcoal Briquetting. 10: 66–A

Harper, V. L. Role of Federal Government in Forest Products Research. 10: 40–A

Harris, J. F., Saeman, J. F., and Locke, E. G. Chemical Conversion of Wood Residues: Part I, Separation and Utilization of Hardwood–Hemicelluloses. 9: 248

Hart, C. A. Development of a Highly Accelerated Test for Water-Resistant Hardwood Plywood. 4: 113

Hart, C. A. *See* Chrismer, R. F.

Haskell, H. H. Strength Properties of Tension Wood and Typical Wood in a Leaning Eastern Cottonwood Tree. 1: 17

Hassler, J. W. Action Carbon in America —1914 to 1957. 6: 25–A

Hatfield, I. Report on Wood Preservation Activities—1956–7. (Ann. Rev.) 2. 58

Hattori, M. Effect of Incising on Penetration of Creosote in Japanese Cedar Poles. 6: 27–A

Headlee, T. M. *See* Clark, W. P.

Hergert, H. L. Chemical Composition of Cork from White Fir Bark. 11: 335

Herrick, F. W. and Bock, L. H. Thermosetting, Exterior–Plywood Type Adhesives from Bark Extracts. 10: 269

Hoffman, C. H. Five Ways We Can Preserve Our Wood Markets. 10: 57–A

Hofstrand, A. D. Relationship of Specific Gravity to Moduli of Rupture and Elasticity in Commercial Hardboard. 6: 177

Hooker, L. S. Utilization of Hardwood Logging Residue. 1: 1

Huber, H. A. Preservation of Particle Board. 12: 356

Hudson, M. S. Colorimetric Determination of Creosote in Old Poles. 11: 340

Huffman, J. B. Kiln Drying of Southern Hardwood Crossties. 6: 165

Hunt, D. L. Factors in Selecting a Log Barker for the Western Pine Region. 2: 31–A

Hyler, J. E. Counting Methods in the Woodworking Industry. 3: 34–A

Hyler, J. E. Principles Involved in Match Ripping. 8: 242

Hyler, J. E. Significance of Knife Marks on Lumber Core Surfaces. 10: 76–A

J

Jahn, E. C. *See* Shirley, H. L.

Johnson, E. S. Applying Finishing Materials with Steinemann Pressure-Curtain Coater. 10: 71–A

K

Kellogg, R. M. Strain Behavior of Wood Subjected to Repetitive Stressing in Tension Parallel to the Grain. 10: 301

Kennedy, R. W. Strength Retention in Wood Decayed to Small Weight Losses. 10: 308

King, E. G. Strain Behavior of Wood in Tension Parallel to the Grain. 11: 330

King, W. W. Evaluating Quality of Black Walnut Sawlogs. 9: 243

Knokey, E. R. Continuous Method of Scarf Jointing Plywood Panels. 8: 17–A

Kohn, J. Properties and Uses of Balsa. 8: 27–A

Kwiatkowski, H. R. *See* Sikorsky, I. I.

L

Lance, O. C. History and Development of Wood Preservation for Millwork. 10: 61–A
La Spisa, J. *See* McLaughlin, T. P.
Latimer, C. Review of Quality Control in Woodworking. (Ann. Rev.) 2: 63
Lewis, W. C. Use Development for Particle Board. 2: 27–A
Lloyd, R. A. and Stamm, A. J. Effect of Resin Treatment and Compression Upon the Weathering Properties of Veneer Laminates. 8: 230
Locke, E. G. *See* Harris, J. F.
Lubeck, D. G. Finishing Developments—1957. (Ann. Rev.) 2: 55
Luner, P., Dubey, G. A., Boggs, L. A., and Wiley, A. J. Upgrading Spent Sulphite Liquor by Sugar Removal. 2: 82

M

MacLean, H. and Gardner, J. A. F. Distribution of Fungicidal Extractives in Target Pattern Heartwood of Western Red Cedar. 3: 107
Marian, J. E. Adhesive and Adhesion Problems in Particle Board Production. 6: 172
Marian, J. E., Stumbo, D. A., and Maxey, C. W. Glue-Joint Strength . . . Effects of Surface Texture. 12: 345
Mark, R. and Zuckerman, B. M. Reinforced Plastics as Protective Coatings for Wood. 7: 25–A
Marra, G. G. Particle Board Classifications. 12: 11–A
Martin, W. E. Color Control in Wood Finishing. 3: 31–A
Mater, M. H. Developments in Milling—1957. (Ann. Rev.) 2: 64
Mater, M. H. Power Requirements of Log Carriage Setworks. 5: 154
Mater, M. H. Proposed Modern System to Automate Your Lumber Handling. 10: 83–A
Maxey, C. W. *See* Marian, J. E.
May, A. *See* Miller, M.
Mayhew, W. E. New and Revolutionary Method of Allocating Costs to Veneer by Grades. 4: 27–A
McCaslin, J. F. Fundamental Techniques Involved in Efficient Spray Finishing. 10: 68–A
McGowan, W. M. and Yelf, J. T. Improved Device for Measuring the Deformation of Wood Specimens in Compression Parallel to Grain. 10: 314
McKean, H. B. and Smith, J. W. Pilot Planting Laminated 2 by 4's. 8: 19–A
McKnight, T. S. Application of Logistic Function to Toxicity Testing of Wood Preservatives. 3: 96
McKnight, T. S. and Merrall, E. Fungistatic Effectiveness and Leachability of Copper Abietate and Formate Preservatives. 9: 256
McLaughlin, T. P. and La Spisa, J. Fast, Mechanized Ways to Unload Lumber from Box Cars. 10: 77–A
McMillen, C. W. Relation of Mechanical Properties of Wood and Nosebar Pressure in Production of Veneer. 1: 23
McSwain, G. A. Design, Economics, and Related Properties of End and Edge Joints Commonly in Use. 8: 23–A
Merrall, E. *See* McKnight, T. S.
Meyer, F. J. *See* Olson, G. E.
Miller, M. and May, A. Procedure for Measuring Volume of Small Wood Samples. 8: 224
Miniutti, V. P. Fire-Resistance Tests of Solid Wood Flush Doors. 4: 141
Moore, R. A. *See* Zabel, R. A.

N

Nearn, W. T. and Clarke, J. T. Dowel Joint Strength: Effect of Dowel Type, Hole Size, and Adhesive. 11: 326
Nearn, W. T. *See* Dickinson, F. E.
Nearn, W. T. *See* Williamson, F. L.
Northcott, P. L. Wood Failure—Within Species and Between Species. 6: 180
Northcott, P. L. *See* Colbeck, H. G. M.

O

Olin, R. W. Mobile Radio, New Tool in Logging Operations. 10: 49–A
Olson, G. E., Meyer, F. J., and Gooch, R. M. Pentachlorophenol and Heavy Petroleum for Preservative Treatment of Railway Crossties. 3: 87

P

Page, R. H. and Carter, R. M. Variation in Moisture Content of Air-Seasoned Southern Pine in Georgia. 6: 15–A
Panel Discussion. Quality Control in Composition Boards. 11: 30–A
Patnode, W. Role of Private Industry in Forest Products Research. 10: 43–A
Pauley, W. N. and Baldorf, R. O. Practical Production Analysis. 5: 27–A
Pearl, I. A. Review of Chemical Utilization. (Ann. Rev.) 2: 38
Pearson, R. G. and Williams, E. J. Review of Methods for Sampling of Timber. 9: 263
Perem, E. Effect of Compression Wood on Mechanical Properties of White Spruce and Red Pine. 8: 235
Pfeiffer, J. R. Forced-Air Drying Pays Dividends. 11: 22–A
Phillips, E. W. J. and Savory, C. A. Effect of Fungal Decay on Benzidine Test for Distinguishing Heartwood and Sapwood in Pine. 5: 157
Post, P. W. Effect of Particle Geometry and Resin Content on Bending Strength of Oak Flake Board. 10: 317
Pounds, L. C. Laminated Prefinishing of Composition Board. 2: 35–A

R

Reeves, E. H. Methods of Attaining Greater Logging Safety. 3: 28–A
Reynolds, R. V. Status of Tungsten Carbide in Woodworking Industry. 5: 24–A
Richards, A. P. Anti-Fouling Marine Coatings for Use Over Pressure Creosoted Wood. 8: 240
Richards, D. B. Simplified Tension Tests for Wood. 1: 14
Richards, D. B. End Gluing Lumber. 3: 99
Risi, J. and Arseneau, D. F. Dimensional Stabilization of Wood: Part V, Phthaloylation. 9: 252
Roderick, G. H. More Wood Research: Essential for National Security. 10: 37–A
Ross, V. R. Statistical Quality Control Program. 1: 24–A

S

Saeman, J. F. *See* Harris, J. F.
Sardo, W. H., Jr. Pallets Play an Important Part in Materials Handling. 7: 22–A
Savory, C. A. *See* Phillips, E. W. J.
Schmidt, O. A. *See* Worley, D. P.
Schuerch, C. M. Separation and Properties of Hemicellulose, Cellulose, and Hydrogenated Lignin from Sawdust. 5: 150
Seip, D. R. Economic Aspects of a Particle Board Operation. 3: 26–A
Selbo, M. L. Curing Rates of Resorcinol and Phenol-Resorcinol Glues in Laminated White Oak Members. 5: 145
Shirley, H. L. and Jahn, E. C. Role of Educational Institutions in Forest Products Research. 10: 45–A
Sikorsky, I. I. and Kwiatkowski, H. R. Present and Future Uses of Helicopters. 9: 9–A
Simmons, F. C. Developments in Logging—1957. (Ann. Rev.) 2: 33
Simmons, F. C. Engineering Approach to Logging and Milling. 7: 14–A
Skaar, C. Mechanism of Moisture Movement in Beech Below the Fiber-Saturation Point. 12: 352
Sloan, L. L. Helicopters in Logging Operations. 9: 15–A
Smith, J. W. *See* McKean, H. B.
Smith, W. C. Evolution of a Quality Control System for Particle Board 6: 18–A
Spalt, H. A. Fundamentals of Water Vapor Sorption by Wood. 10: 288
Stamm, A. J. *See* Lloyd, R. A.
Stearns, J. L. Properties and Uses of High-Density Imported Woods. 11: 13–A
Stumbo, D. A. *See* Marian, J. E.
Suddarth, S. K. Transformer-Type Strain Gage for Wood. 2: 79

T

Tarkow, H. and Turner, H. D. Swelling Pressure of Wood. 7: 193
Thompson, H. E. Fire Performance of Timber. 4: 31–A
Townsend, J. G. Helicopters for Forest Operations. 9: 20–A
Turner, H. D. *See* Tarkow, H.

V

Vannoy, W. G. Blister- and Stain-Resistant Paints. 1: 17–A
Vasiliou, G. Reduce Woodworking Costs Through Methods Improvement. 10: 84–A
Vaughan, T. W. *See* Elmendorf, A.

W

Walters, E. O. Merits of Riderless vs Setter-Operated Carriages. 5: 36–A
Weill, T. C. Cemented Tungsten Carbides and Their Application to the Woodworking Field. 6: 21–A
White, K. V. Recent Developments in Double-End Tenoners and Borers. 10: 74–A
Wier, T. P., Jr. Lumber Treatment by the Vacuum Process. 3: 91
Wilde, S. A. Marketable Sawdust Composts: Their Preparation and Fertilizing Value. 11: 323
Wiley, A. J. *See* Luner, P.
Williams, E. J. *See* Pearson, R. G.
Williamson, F. L. and Nearn, W. T. Wood to Wood Bonds with Epoxide Resin—Species Effect. 6: 182
Williston, E. M. An Analysis of the Panel Products Field. 2: 72
Worley, D. P., Schmidt, O. A. and Duhnkrack, A. R. Tree Grade Cruising Possibilities from a Study in Second Growth White Oak. 7: 214

Y

Yelf, J. T. *See* McGowan, W. M.

Z

Zabel, R. A. and Moore, R. A. Relative Effectiveness of Several Oil-Soluble Wood Preservatives. 9: 258
Zuckerman, B. M. *See* Mark, R.